

Northeast Preliminary Fisheries Statistics

Multispecies (May - October 1999) & Scallop (March - October 1999)

Fishery Statistics Office
Northeast Regional Office
National Marine Fisheries Service
Gloucester, MA 01930

February 2000

The preliminary fisheries statistics indicating stock areas and gears in this report were derived by prorating available dealer weighout and vessel log data. These preliminary statistics, therefore, represent the currently available information, but are subject to revisions in the future.

CONSOLIDATION = B

TABLE 1.A - PRELIMINARY COD LANDINGS BY STOCK AREA

									1999/2000*		1998/1999*		FISHING YEAR* LANDINGS 1000 LBS
	SEP - 1999		OCT - 1999		NOV - 1999		MAY-NOV 1999		MAY-NOV 99 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	MAY-NOV 98 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT					
GULF OF MAINE	128	12%	110	14%	122	15%	1,325	11%	77%	1,724	122%	3,931	
OTTER TRAWL	39	4%	35	4%	56	7%	633	5%	37%		67%		
GILLNET	72	7%	58	7%	45	6%	571	5%	33%		50%		
HOOK	7	1%	5	1%	3	0%	39	0%	2%		2%		
OTHER GEARS	9	1%	11	1%	18	2%	82	1%	5%		3%		
GEORGES BANK	897	88%	674	86%	670	85%	10,679	89%	90%	11,804	84%	10,362	
OTTER TRAWL	508	50%	406	52%	448	57%	6,092	51%	52%		52%		
GILLNET	187	18%	191	24%	66	8%	2,222	19%	19%		13%		
HOOK	149	15%	28	4%	94	12%	1,771	15%	15%		13%		
OTHER GEARS	53	5%	49	6%	62	8%	594	5%	5%		6%		
ALL AREAS	1,024	100%	784	100%	793	100%	12,005	100%	89%	13,528	95%	14,293	
OTTER TRAWL	547	53%	441	56%	504	64%	6,726	56%	50%		56%		
GILLNET	259	25%	249	32%	112	14%	2,793	23%	21%		24%		
HOOK	157	15%	34	4%	97	12%	1,810	15%	13%		10%		
OTHER GEARS	62	6%	60	8%	80	10%	675	6%	5%		5%		
LANDINGS - ALL AREAS													
FISHING YEAR 1999/2000	1,024		784		793		12,005						-
FISHING YEAR 1998/1999	1,486		1,102		1,295		13,518						23,673
FISHING YEAR 1997/1998	1,877		1,838		1,492		17,991						28,840
FISHING YEAR 1996/1997	1,911		2,158		1,785		21,532						31,961

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Cod Stock Areas:
Gulf of Maine: 464, 465, 511-515
Georges Bank: 521-637

2. Landings in live weight.

3. State landings for Connecticut are estimated for the January - November 1999 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 1.B - PRELIMINARY COD LANDINGS BY MAJOR PORTS AND STATES, MAY-NOVEMBER 1999

PORT/STATE	MAY-NOV 99	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	698	214	31%	484	69%	554	79%	72	10%	7	1%	65	9%
GLOUCESTER,MA	2,165	539	25%	1,626	75%	1,333	62%	340	16%	447	21%	45	2%
BOSTON,MA	888	12	1%	875	99%	876	99%	0	0%	0	0%	11	1%
NEW BEDFORD,MA	3,190	14	0%	3,176	100%	3,181	100%	0	0%	0	0%	8	0%
PT JUDITH, RI	158	0	0%	158	100%	132	83%	1	0%	0	0%	26	16%
MAINE	796	301	38%	495	62%	624	78%	95	12%	9	1%	67	8%
NEW HAMPSHIRE	205	165	81%	39	19%	48	23%	152	74%	1	1%	4	2%
MASSACHUSETTS	10,601	859	8%	9,742	92%	5,709	54%	2,542	24%	1,800	17%	551	5%
RHODE ISLAND	327	0	0%	327	100%	296	91%	5	1%	0	0%	26	8%
CONNECTICUT	37	0	0%	37	100%	37	99%	0	0%	0	0%	0	1%
NEW YORK	39	0	0%	39	100%	12	30%	0	0%	0	0%	27	70%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	12,005	1,325	11%	10,679	89%	6,726	56%	2,793	23%	1,810	15%	675	6%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod Stock Areas: Gulf of Maine: 464, 465, 511-515
 Georges Bank: 521-637

2. State landings for Connecticut are estimated for the May - November 1999 period.

3. Landings in live weight.

TABLE 2.A - PRELIMINARY HADDOCK LANDINGS BY STOCK AREA

	SEP - 1999		OCT - 1999		NOV - 1999		MAY-NOV 99		1999/2000*		1998/1999*		FISHING YEAR* LANDINGS 1000 LBS
									MAY-NOV 99 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	MAY-NOV 98 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT					
GULF OF MAINE	93	15%	114	18%	150	45%	630	14%					
OTTER TRAWL	73	12%	94	15%	83	25%	455	10%					
GILLNET	12	2%	15	2%	51	15%	136	3%					
HOOK	7	1%	1	0%	1	0%	17	0%					
OTHER GEARS	0	0%	4	1%	15	4%	22	1%					
GEORGES BANK	496	80%	498	81%	183	55%	3,690	85%	30%	12,346	22%	10,576	
OTTER TRAWL	466	76%	498	81%	182	55%	3,428	79%	28%		21%		
GILLNET	4	1%	0	0%	0	0%	177	4%			1%		
HOOK	4	1%	0	0%	1	0%	55	1%			1%		
OTHER GEARS	22	4%	0	0%	0	0%	30	1%	0%		0%		
SNE/MID-ATLANTIC	29	5%	6	1%	0	0%	43	1%					
OTTER TRAWL	29	5%	6	1%	0	0%	43	1%					
GILLNET	0	0%	0	0%	0	0%	0	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%	0	0%					
ALL AREAS	617	100%	618	100%	333	100%	4,364	100%					
OTTER TRAWL	568	92%	597	97%	265	80%	3,926	90%					
GILLNET	16	3%	16	3%	51	15%	313	7%					
HOOK	11	2%	1	0%	2	1%	73	2%					
OTHER GEARS	23	4%	4	1%	15	4%	52	1%					
LANDINGS - ALL AREAS													
FISHING YEAR 1999/2000	617		618		333		4,364						-
FISHING YEAR 1998/1999	738		560		378		3,659						5,996
FISHING YEAR 1997/1998	713		715		397		2,394						4,799
FISHING YEAR 1996/1997	138		120		128		887						1,542

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Haddock stock Areas:
Gulf of Maine: 464, 465, 511-515
Georges Bank: 521-526, 533, 534, 537-539, 541-543, 551, 552, 561 & 562.
Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. State landings for Connecticut are estimated for the January - November 1999 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 2.B - PRELIMINARY HADDOCK LANDINGS BY MAJOR PORTS AND STATES, MAY-NOVEMBER 1999

		STOCK AREAS						GEAR TYPES							
PORT/STATE	MAY-NOV 99	GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	1,125	434	39%	691	61%	0	0%	1,084	96%	26	2%	7	1%	9	1%
GLOUCESTER,MA	1,381	122	9%	1,231	89%	28	2%	1,264	92%	94	7%	22	2%	1	0%
BOSTON,MA	696	14	2%	676	97%	6	1%	660	95%	0	0%	0	0%	36	5%
NEW BEDFORD,MA	653	2	0%	651	100%	0	0%	653	100%	0	0%	0	0%	0	0%
PT JUDITH, RI	59	0	0%	59	100%	0	0%	59	100%	0	0%	0	0%	0	0%
MAINE	1,140	447	39%	693	61%	0	0%	1,096	96%	28	2%	7	1%	9	1%
NEW HAMPSHIRE	55	38	69%	17	31%	0	0%	1	3%	54	97%	0	0%	0	0%
MASSACHUSETTS	2,952	145	5%	2,772	94%	34	1%	2,616	89%	231	8%	66	2%	39	1%
RHODE ISLAND	174	0	0%	174	100%	0	0%	174	100%	0	0%	0	0%	0	0%
CONNECTICUT	29	0	0%	29	100%	0	0%	29	100%	0	0%	0	0%	0	0%
NEW YORK	13	0	0%	4	31%	9	69%	9	69%	0	0%	0	0%	4	31%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	4,364	630	14%	3,690	85%	43	1%	3,926	90%	313	7%	73	2%	52	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock Areas: Gulf of Maine: 464, 465, 511-515
Georges Bank: 521-526, 533, 534, 537-539, 541-543, 551, 552, 561 & 562.
Southern New England / Mid-Atlantic: 611-639

2. State landings for Connecticut are estimated for the May - November 1999 period.

3. Landings in live weight.

4. Gear Data are based on vessel trip reports.

TABLE 3.A - PRELIMINARY YELLOWTAIL FLOUNDER LANDINGS BY STOCK AREA

	SEP - 1999		OCT - 1999		NOV - 1999		MAY-NOV 1999		1999/2000*		1998/1999*		FISHING YEAR* LANDINGS 1000 LBS
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	MAY-NOV 99 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	MAY-NOV 98 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	
GULF OF MAINE	1	0%	6	2%	8	2%	135	4%					
OTTER TRAWL	1	0%	6	2%	7	1%	106	3%					
GILLNET	0	0%	0	0%	0	0%	27	1%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	1	0%	2	0%					
CAPE COD	117	52%	138	43%	302	58%	1,464	40%					
OTTER TRAWL	115	51%	129	40%	295	56%	1,193	33%					
GILLNET	2	1%	5	1%	6	1%	259	7%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	5	1%	2	0%	11	0%					
GEORGES BANK	30	13%	100	31%	133	25%	1,254	34%	21%	6,008	56%	4,729	
OTTER TRAWL	17	8%	78	24%	112	21%	1,123	31%	19%		55%		
GILLNET	0	0%	0	0%	0	0%	0	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	12	6%	22	7%	21	4%	130	4%	2%		0%		
SNE/MID-ATLANTIC	76	34%	74	23%	79	15%	792	22%	32%	2,458	30%	1,795	
OTTER TRAWL	76	34%	70	22%	78	15%	777	21%	32%		29%		
GILLNET	0	0%	0	0%	0	0%	1	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	0	0%	5	1%	1	0%	14	0%	1%		1%		
ALL AREAS	224	100%	319	100%	523	100%	3,644	100%					
OTTER TRAWL	209	93%	283	89%	492	94%	3,199	88%					
GILLNET	2	1%	5	1%	6	1%	287	8%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	13	6%	32	10%	25	5%	158	4%					
LANDINGS - ALL AREAS													
FISHING YEAR 1999/2000	224		319		523		3,644						-
FISHING YEAR 1998/1999	598		1,183		553		4,302						9,544
FISHING YEAR 1997/1998	270		354		406		2,535						5,643
FISHING YEAR 1996/1997	167		299		315		2,477						6,267

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Yellowtail Stock Areas:

Gulf of Maine: 464, 465, 511-513, 515.

Cape Cod: 514, 521.

Georges Bank: 522, 525, 542, 543, 551, 552, 561, 562.

Southern New England / Mid-Atlantic: 526, 533, 534, 537-539, 541, 611-639.

2. Landings in live weight.

3. State landings for Connecticut are estimated for the January - November 1999 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 3.B - PRELIMINARY YELLOWTAIL FLOUNDER LANDINGS BY MAJOR PORTS AND STATES, MAY-NOVEMBER 1999

		STOCK AREAS								GEAR TYPES							
PORT/STATE	MAY-NOV 99	GULF OF MAINE		CAPE COD		GEORGES BANK & GEORGES BANK SOUTH		SNE, SNE SOUTH & MID ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	16	3	19%	1	3%	13	78%	0	0%	5	34%	0	0%	0	0%	11	66%
GLOUCESTER,MA	482	20	4%	304	63%	158	33%	0	0%	381	79%	99	21%	0	0%	1	0%
BOSTON,MA	113	5	5%	64	56%	41	36%	3	3%	113	100%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	1,730	28	2%	605	35%	884	51%	212	12%	1,616	93%	0	0%	0	0%	114	7%
PT JUDITH, RI	310	0	0%	0	0%	35	11%	275	89%	309	100%	0	0%	0	0%	1	0%
MAINE	20	7	34%	1	3%	13	63%	0	0%	9	46%	0	0%	0	0%	11	54%
NEW HAMPSHIRE	77	68	89%	9	11%	0	0%	0	0%	54	70%	23	30%	0	0%	0	0%
MASSACHUSETTS	2,860	60	2%	1,454	51%	1,110	39%	236	8%	2,472	86%	264	9%	0	0%	123	4%
RHODE ISLAND	391	0	0%	0	0%	78	20%	313	80%	388	99%	0	0%	0	0%	3	1%
CONNECTICUT	45	0	0%	0	0%	35	78%	10	22%	36	80%	0	0%	0	0%	9	20%
NEW YORK	235	0	0%	0	0%	9	4%	225	96%	235	100%	0	0%	0	0%	0	0%
NEW JERSEY	16	0	0%	0	0%	8	51%	8	49%	5	33%	0	0%	0	0%	11	67%
OTHER NORTHEAST	1	0	0%	0	0%	0	68%	0	32%	0	0%	0	0%	0	0%	1	100%
TOTAL	3,644	135	4%	1,464	40%	1,254	34%	792	22%	3,199	88%	287	8%	0	0%	158	4%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail Stock Areas: Gulf of Maine: 464, 465, 511-513, 515.
Cape Cod: 514, 521.
Georges Bank: 522, 525, 542, 543, 551, 552, 561, 562.
Southern New England / Mid-Atlantic: 526, 533, 534, 537-539, 541, 611-639.

2. State landings for Connecticut are estimated for the May - November 1999 period.

3. Landings in live weight.

4. Gear data are based on vessel trip reports.

TABLE 4.A - PRELIMINARY PRORATED WHITE HAKE LANDINGS

		SEP-99		OCT-99		NOV-99		MAY-NOV 99		FISHING YEAR*
		1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	LANDINGS
SNE/NORTH		628	99%	450	98%	381	99%	4,090	100%	
	OTTER TRAWL	270	43%	346	76%	342	89%	2,069	50%	
	GILLNET	323	51%	104	23%	35	9%	1,834	45%	
	HOOK	34	5%	1	0%	1	0%	134	3%	
	OTHER GEAR	0	0%	0	0%	3	1%	53	1%	
MID-ATLANTIC		4	1%	7	2%	4	1%	17	0%	
	OTTER TRAWL	3	0%	7	2%	3	1%	14	0%	
	GILLNET	1	0%	0	0%	1	0%	3	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	0%	0	0%	0	0%	
ALL AREAS		631	100%	457	100%	385	100%	4,107	100%	
	OTTER TRAWL	273	43%	353	77%	345	90%	2,082	51%	
	GILLNET	324	51%	104	23%	36	9%	1,837	45%	
	HOOK	34	5%	1	0%	1	0%	134	3%	
	OTHER GEAR	0	0%	0	0%	3	1%	53	1%	
LANDINGS	1999/2000	631		457		385		4,107		-
LANDINGS	1998/1999	709		607		460		3,940		5,647
LANDINGS	1997/1998	751		625		450		3,780		4,935
LANDINGS	1996/1997	987		886		520		5,794		6,852

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

White Hake Stock Areas:
SNE&North:: 464-465, 500-562
Mid-Atlantic: 600-639

2. Landings in live weight.

3. State landings for Connecticut are estimated for the January - November 1999 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 4.B - PRELIMINARY WHITE HAKE LANDINGS BY MAJOR PORTS AND STATES, MAY-NOVEMBER 1999

		STOCK AREAS				GEAR TYPES							
PORT/STATE	MAY-NOV 99	SNE/ MA		MID- ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	1,835	1,834	100%	0	0%	1,081	59%	614	33%	93	5%	46	3%
GLOUCESTER,MA	1,153	1,153	100%	0	0%	512	44%	602	52%	39	3%	0	0%
BOSTON,MA	160	154	97%	6	3%	160	100%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	58	58	100%	0	0%	58	100%	0	0%	0	0%	0	0%
PT JUDITH, RI	17	17	100%	0	0%	17	100%	0	0%	0	0%	0	0%
MAINE	2,074	2,074	100%	0	0%	1,242	60%	693	33%	93	5%	46	2%
NEW HAMPSHIRE	549	547	100%	2	0%	26	5%	523	95%	0	0%	0	0%
MASSACHUSETTS	1,427	1,419	99%	8	1%	760	53%	620	43%	41	3%	7	0%
RHODE ISLAND	45	45	99%	1	1%	45	100%	0	0%	0	0%	0	0%
CONNECTICUT	2	0	12%	2	88%	2	100%	0	0%	0	0%	0	0%
NEW YORK	8	4	53%	4	47%	7	83%	1	17%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	4,107	4,090	100%	17	0%	2,082	51%	1,837	45%	134	3%	53	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock Areas: SNE/North: 464-465, 500-562.
Mid-Atlantic: 600-639.

2. State landings for Connecticut are estimated for the May - November 1999 period.
3. Landings in live weight.
4. Gear Data are based on vessel trip reports.

TABLE 5.A - PRELIMINARY PRORATED AMERICAN PLAICE LANDINGS

		SEP-99		OCT-99		NOV-99		MAY-NOV 99		FISHING YEAR* LANDINGS
		1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS
GULF OF MAINE/GB		498	98%	345	96%	482	100%	4,409	99%	
	OTTER TRAWL	494	97%	343	95%	476	98%	4,296	97%	
	GILLNET	3	1%	0	0%	0	0%	90	2%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	2	0%	2	1%	6	1%	23	1%	
SNE / MID-ATLANTIC		13	2%	15	4%	1	0%	35	1%	
	OTTER TRAWL	11	2%	14	4%	1	0%	32	1%	
	GILLNET	1	0%	1	0%	0	0%	2	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	0%	0	0%	0	0%	
ALL AREAS		511	100%	360	100%	483	100%	4,444	100%	
	OTTER TRAWL	505	99%	357	99%	477	99%	4,328	97%	
	GILLNET	4	1%	1	0%	0	0%	93	2%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	2	0%	2	1%	6	1%	23	1%	
LANDINGS	1999/2000	511		360		483		4,444		-
LANDINGS	1998/1999	748		525		396		5,537		7,787
LANDINGS	1997/1998	992		598		430		6,083		8,504
LANDINGS	1996/1997	882		784		580		7,329		10,032

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

American Plaice Stock Areas:
Gulf of Maine/GB: 464-465, 511-526, 551-552, 561-562.
Southern New England/Mid-Atlantic: 533-534, 537-539, 541-543, 611-639.

2. Landings in live weight.
3. State landings for Connecticut are estimated for the January - November 1999 period.
4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

TABLE 5.B - PRELIMINARY AMERICAN PLAICE LANDINGS BY MAJOR PORTS AND STATES, MAY-NOVEMBER 1999

		STOCK AREAS				GEAR TYPES							
PORT/STATE	MAY-NOV 99	GOM/ GB		SNE/ MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	1,378	1,366	99%	13	1%	1,374	100%	1	0%	0	0%	4	0%
GLOUCESTER,MA	940	939	100%	1	0%	872	93%	56	6%	0	0%	12	1%
BOSTON,MA	340	326	96%	14	4%	336	99%	0	0%	0	0%	4	1%
NEW BEDFORD,MA	607	607	100%	0	0%	605	100%	0	0%	0	0%	2	0%
PT JUDITH, RI	54	54	100%	0	0%	54	100%	0	0%	0	0%	0	0%
MAINE	1,904	1,891	99%	13	1%	1,899	100%	1	0%	0	0%	4	0%
NEW HAMPSHIRE	145	145	100%	0	0%	132	92%	12	8%	0	0%	0	0%
MASSACHUSETTS	2,179	2,164	99%	15	1%	2,083	96%	78	4%	0	0%	18	1%
RHODE ISLAND	205	205	100%	0	0%	205	100%	0	0%	0	0%	0	0%
CONNECTICUT	7	4	58%	3	42%	7	98%	0	0%	0	0%	0	2%
NEW YORK	3	0	0%	3	100%	1	23%	2	77%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	4,444	4,409	99%	35	1%	4,328	97%	93	2%	0	0%	23	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock Ar Gulf of Maine/GB: 464-465, 511-526, 551-552, 561-562.
SNE/MA: 533-534, 537-539, 541-543, 611-639.

2. State landings for Connecticut are estimated for the May - November 1999 period.
3. Landings in live weight.
4. Gear Data are based on vessel trip reports.

TABLE 6.A - PRELIMINARY PRORATED WINTER FLOUNDER LANDINGS

		SEP-99		OCT-99		NOV-99		MAY-NOV 99		FISHING YEAR*
		1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	LANDINGS 1000 LBS
GULF OF MAINE		83	8%	55	7%	69	6%	482	6%	
	OTTER TRAWL	80	7%	53	7%	68	5%	365	5%	
	GILLNET	3	0%	2	0%	1	0%	115	2%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	0%	1	0%	1	0%	
GEORGES BANK		187	17%	97	12%	307	24%	1,508	20%	
	OTTER TRAWL	185	17%	92	11%	286	23%	1,476	20%	
	GILLNET	0	0%	1	0%	0	0%	1	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	2	0%	4	1%	21	2%	31	0%	
SNE / MID-ATLANTIC		834	75%	653	81%	878	70%	5,531	74%	
	OTTER TRAWL	830	75%	624	78%	867	69%	5,397	72%	
	GILLNET	2	0%	15	2%	7	1%	104	1%	
	HOOK	0	0%	0	0%	0	0%	1	0%	
	OTHER GEAR	1	0%	14	2%	4	0%	30	0%	
ALL AREAS		1,104	100%	805	100%	1,254	100%	7,522	100%	
	OTTER TRAWL	1,095	99%	769	96%	1,221	97%	7,238	96%	
	GILLNET	6	1%	17	2%	8	1%	220	3%	
	HOOK	0	0%	0	0%	0	0%	1	0%	
	OTHER GEAR	4	0%	18	2%	25	2%	62	1%	
LANDINGS	1999/2000	1,104		805		1,254		7,522		-
LANDINGS	1998/1999	1,223		1,299		913		8,746		11,246
LANDINGS	1997/1998	1,583		1,532		911		9,400		11,891
LANDINGS	1996/1997	854		1,078		926		8,248		10,668

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Winter Flounder Stock Areas:
Gulf of Maine: 464-465, 511-515
Georges Bank: 522, 525, 542-543, 551-552, 561-562
Southern New England/Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.
3. State landings for Connecticut are estimated for the January - November 1999 period.
4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 6.B - PRELIMINARY WINTER FLOUNDER LANDINGS BY MAJOR PORTS AND STATES, MAY-NOVEMBER 1999

		STOCK AREAS						GEAR TYPES							
PORT/STATE	MAY-NOV 99	GULF OF MAINE		GEORGES BANK		SNE/MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	6	1	16%	5	78%	0	6%	6	95%	0	0%	0	0%	0	5%
GLOUCESTER,MA	221	86	39%	58	26%	78	35%	121	55%	100	45%	0	0%	1	0%
BOSTON,MA	505	39	8%	23	5%	443	88%	505	100%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	4,643	69	1%	1,354	29%	3,220	69%	4,601	99%	0	0%	0	0%	42	1%
PT JUDITH, RI	563	0	0%	12	2%	551	98%	556	99%	0	0%	0	0%	6	1%
MAINE	7	1	22%	5	72%	0	6%	6	95%	0	0%	0	0%	0	5%
NEW HAMPSHIRE	10	10	100%	0	0%	0	0%	6	55%	5	45%	0	0%	0	0%
MASSACHUSETTS	5,811	470	8%	1,465	25%	3,876	67%	5,550	96%	215	4%	1	0%	44	1%
RHODE ISLAND	666	0	0%	21	3%	645	97%	658	99%	1	0%	0	0%	7	1%
CONNECTICUT	253	0	0%	16	6%	237	94%	252	99%	0	0%	0	0%	1	1%
NEW YORK	364	0	0%	2	0%	362	100%	363	100%	0	0%	0	0%	1	0%
NEW JERSEY	411	0	0%	1	0%	409	100%	403	98%	0	0%	0	0%	7	2%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	7,522	482	6%	1,508	20%	5,531	74%	7,238	96%	220	3%	1	0%	62	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock Ar Gulf of Maine: 464, 465, 511-515

Georges Bank: 522, 525, 542-543, 551-552 & 561-562.

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. State landings for Connecticut are estimated for the May - November 1999 period.

3. Landings in live weight.

4. Gear Data are based on vessel trip reports.

TABLE 7.A - PRELIMINARY PRORATED WITCH FLOUNDER LANDINGS

		SEP-99		OCT-99		NOV-99		MAY-NOV 99		FISHING YEAR*
		1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	LANDINGS 1000 LBS
GOM/GB		247	96%	261	97%	272	97%	2,738	96%	
	OTTER TRAWL	244	95%	259	96%	267	95%	2,659	93%	
	GILLNET	2	1%	1	0%	2	1%	63	2%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	1	1%	2	1%	3	1%	17	1%	
SNE / MID-ATLANTIC		11	4%	8	3%	9	3%	109	4%	
	OTTER TRAWL	11	4%	8	3%	9	3%	109	4%	
	GILLNET	0	0%	0	0%	0	0%	0	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	0%	0	0%	1	0%	
ALL AREAS		258	100%	269	100%	281	100%	2,847	100%	
	OTTER TRAWL	255	99%	267	99%	276	98%	2,767	97%	
	GILLNET	2	1%	1	0%	2	1%	63	2%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	1	1%	2	1%	3	1%	17	1%	
LANDINGS	1999/2000	258		269		281		2,847		-
LANDINGS	1998/1999	278		240		164		2,440		4,044
LANDINGS	1997/1998	364		241		186		2,450		4,144
LANDINGS	1996/1997	312		352		275		2,997		4,524

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Witch Flounder Stock Areas:
GOM/GB: 464-465, 511-526, 551-552, 561-562.
SNE / Mid-Atlantic: 533-534, 537-539, 541-543, 611-639.

2. Landings in live weight.
3. State landings for Connecticut are estimated for the January - November 1999 period.
4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

TABLE 7.B - PRELIMINARY WITCH FLOUNDER LANDINGS BY MAJOR PORTS AND STATES, MAY-NOVEMBER 1999

		STOCK AREAS				GEAR TYPES							
PORT/STATE	MAY-NOV 99	GOM/ GB		SNE/ MA		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	719	711	99%	8	1%	716	100%	0	0%	0	0%	3	0%
GLOUCESTER,MA	548	547	100%	1	0%	511	93%	33	6%	0	0%	4	1%
BOSTON,MA	230	223	97%	7	3%	226	98%	0	0%	0	0%	4	2%
NEW BEDFORD,MA	416	411	99%	5	1%	413	99%	0	0%	0	0%	3	1%
PT JUDITH, RI	100	29	29%	70	71%	99	100%	0	0%	0	0%	0	0%
MAINE	1,149	1,141	99%	9	1%	1,146	100%	0	0%	0	0%	3	0%
NEW HAMPSHIRE	35	35	100%	0	0%	30	86%	5	14%	0	0%	0	0%
MASSACHUSETTS	1,428	1,415	99%	13	1%	1,358	95%	58	4%	0	0%	12	1%
RHODE ISLAND	220	142	64%	78	36%	220	100%	0	0%	0	0%	0	0%
CONNECTICUT	3	1	38%	2	62%	2	67%	0	0%	0	0%	1	33%
NEW YORK	6	4	60%	3	40%	6	100%	0	0%	0	0%	0	0%
NEW JERSEY	6	1	19%	5	81%	4	74%	0	0%	0	0%	2	26%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	2,847	2,738	96%	109	4%	2,767	97%	63	2%	0	0%	17	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock Ar Gulf of Maine/GB: 464-465, 511-526, 551-552, 561-562.
SNE/MA: 533-534, 537-539, 541-543, 611-639.

2. State landings for Connecticut are estimated for the May - November 1999 period.
3. Landings in live weight.
4. Gear Data are based on vessel trip reports.

TABLE 8.A - PRELIMINARY PRORATED WINDOWPANE FLOUNDER LANDINGS

		SEP-99		OCT-99		NOV-99		MAY-NOV 99		FISHING YEAR* LANDINGS
		1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS
GOM/GB		4	12%	2	37%	35	90%	62	47%	
	OTTER TRAWL	4	12%	2	36%	35	90%	62	47%	
	GILLNET	0	0%	0	1%	0	0%	0	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	0%	0	0%	0	0%	
SNE/MA		28	88%	4	63%	4	10%	69	53%	
	OTTER TRAWL	28	88%	4	63%	4	10%	69	52%	
	GILLNET	0	0%	0	0%	0	0%	0	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	0%	0	0%	0	0%	
ALL AREAS		31	100%	6	100%	38	100%	131	100%	
	OTTER TRAWL	31	100%	6	99%	38	100%	130	99%	
	GILLNET	0	0%	0	1%	0	0%	0	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	0%	0	0%	1	1%	
LANDINGS	1999/2000	31		6		38		131		-
LANDINGS	1998/1999	44		28		37		354		610
LANDINGS	1997/1998	31		26		318		591		1,379
LANDINGS	1996/1997	71		186		308		1,243		1,898

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Windowpane Flounder Stock Areas:
Gulf of Maine/Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562.
Southern New England/Mid-Atlantic: 526, 533-534, 537-539, 611-639.

2. Landings in live weight.
3. State landings for Connecticut are estimated for the January - November 1999 period.
4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

TABLE 8.B - PRELIMINARY WINDOWPANE FLOUNDER LANDINGS BY MAJOR PORTS AND STATES, MAY-NOVEMBER 1999

		STOCK AREAS				GEAR TYPES							
PORT/STATE	MAY-NOV 99	GOM/ GB		SNE/ MA		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
GLOUCESTER,MA	1	1	100%	0	0%	1	95%	0	5%	0	0%	0	0%
BOSTON,MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	52	51	98%	1	2%	52	99%	0	0%	0	0%	1	1%
PT JUDITH, RI	5	0	1%	5	99%	5	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	56	55	98%	1	2%	55	98%	0	0%	0	0%	1	1%
RHODE ISLAND	9	2	26%	7	74%	9	100%	0	0%	0	0%	0	0%
CONNECTICUT	1	1	52%	1	48%	1	100%	0	0%	0	0%	0	0%
NEW YORK	9	4	41%	5	59%	9	99%	0	0%	0	0%	0	1%
NEW JERSEY	55	0	0%	55	100%	55	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	131	62	47%	69	53%	130	99%	0	0%	0	0%	1	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Statistical Areas:
Gulf of Maine/GB: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562.
SNE/Mid-Atlantic: 526, 533-534, 537-539, 611-639.

2. State landings for Connecticut are estimated for the May - November 1999 period.
3. Landings in live weight.
4. Gear Data are based on vessel trip reports.

TABLE 9 - PRELIMINARY MULTISPECIES LANDINGS **

	FISHING YEAR*	SEP - 1999		OCT - 1999		NOV - 1999		MAY-NOV 99		1999/2000*		1998/1999*		FISHING YEAR* LANDINGS 1000 LBS
		1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	MAY-NOV 99 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	MAY-NOV 98 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	
Atlantic Pollock	1999/2000	694	21%	519	21%	902	27%	4,884	20%	9%				
	1998/1999	1,086	26%	732	21%	843	29%	6,392	23%			11%		
	1997/1998	892	19%	875	22%	842	27%	5,935	21%					
	1996/1997	487	13%	444	12%	570	18%	4,336	14%					
Redfish	1999/2000	63	2%	65	3%	52	2%	426	2%	1%				
	1998/1999	92	2%	56	2%	71	2%	443	2%			1%		
	1997/1998	61	1%	55	1%	24	1%	286	1%					
	1996/1997	45	1%	44	1%	38	1%	411	1%					
White Hake	1999/2000	631	19%	457	18%	385	11%	4,107	17%	7%				
	1998/1999	709	17%	607	17%	460	16%	3,940	14%			7%		
	1997/1998	751	16%	625	16%	450	14%	3,780	13%					
	1996/1997	987	27%	886	23%	520	16%	5,794	19%					
American Plaice	1999/2000	511	16%	360	15%	483	14%	4,444	18%	8%				
	1998/1999	748	18%	525	15%	396	14%	5,537	20%			10%		
	1997/1998	992	21%	598	15%	430	14%	6,083	21%					
	1996/1997	882	24%	784	21%	580	18%	7,329	24%					
Winter Flounder	1999/2000	1,104	34%	805	32%	1,254	37%	7,522	31%	13%				
	1998/1999	1,223	29%	1,299	37%	913	32%	8,746	31%			16%		
	1997/1998	1,583	34%	1,532	39%	911	29%	9,400	33%					
	1996/1997	854	23%	1,078	29%	926	29%	8,248	27%					
Witch Flounder	1999/2000	258	8%	269	11%	281	8%	2,847	12%	5%				
	1998/1999	278	7%	240	7%	164	6%	2,440	9%			4%		
	1997/1998	364	8%	241	6%	186	6%	2,450	9%					
	1996/1997	312	9%	352	9%	275	9%	2,997	10%					
Windowpane Flounder	1999/2000	31	1%	6	0%	38	1%	131	1%	0%				
	1998/1997	44	1%	28	1%	37	1%	354	1%			1%		
	1997/1998	31	1%	26	1%	318	10%	591	2%					
	1996/1997	71	2%	186	5%	308	10%	1,243	4%					
All 7 Species - Total	1999/2000	3,293	100%	2,481	100%	3,396	100%	24,361	100%	43%	56,200			-
	1998/1997	4,182	100%	3,486	100%	2,883	100%	27,851	100%			50%	56,200	42,218
	1997/1998	4,675	100%	3,952	100%	3,162	100%	28,525	100%					42,840
	1996/1997	3,638	100%	3,775	100%	3,217	100%	30,358	100%					42,093

1. Landings in live weight.

2. State landings for Connecticut are estimated for the January - November 1999 period.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

TABLE 10.A - PRELIMINARY MONKFISH LANDINGS BY MANAGEMENT AREA

									1999/2000*		FISHING YEAR* LANDINGS 1000 LBS
	SEP - 1999		OCT - 1999		NOV - 1999		MAY-NOV 99		MAY-NOV 99 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	TARGET TAC		
NORTHERN AREA	1,544	60%	1,611	36%	1,673	35%	12,541	40%	100%	12,507	
OTTER TRAWL	909	35%	928	21%	1,154	24%	8,842	28%	71%		
GILLNET	461	18%	452	10%	356	7%	2,768	9%	22%		
HOOK	0	0%	0	0%	0	0%	1	0%	0%		
OTHER GEARS	174	7%	231	5%	162	3%	930	3%	7%		
SOUTHERN AREA	1,017	40%	2,866	64%	3,099	65%	19,145	60%	144%	13,280	
OTTER TRAWL	611	24%	1,670	37%	1,195	25%	7,994	25%	60%		
GILLNET	90	4%	578	13%	1,568	33%	8,080	26%	61%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		
OTHER GEARS	316	12%	619	14%	336	7%	3,071	10%	23%		
ALL AREAS	2,561	100%	4,477	100%	4,772	100%	31,686	100%	123%	25,787	
OTTER TRAWL	1,520	59%	2,598	58%	2,349	49%	16,836	53%	65%		
GILLNET	551	22%	1,030	23%	1,924	40%	10,848	34%	42%		
HOOK	0	0%	0	0%	0	0%	1	0%	0%		
OTHER GEARS	490	19%	850	19%	498	10%	4,001	13%	16%		
LANDINGS - ALL AREAS											
FISHING YEAR 1999/2000	2,561		4,477		4,772		31,686				-
FISHING YEAR 1998/1999	3,605		4,538		6,367		35,297				59,326
FISHING YEAR 1997/1998	4,056		5,407		5,535		38,245				62,782
FISHING YEAR 1996/1997	3,959		5,457		7,232		38,081				61,673

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Monkfish Management Areas:
Northern Area: 464, 465, 511-515,521-522,561-562.
Southern Area: 525-526,537-539, 533-534, 541-543, 611-639.

2. Landings in live weight.

3. State landings for Connecticut are estimated for the May - November 1999 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 10.B - PRELIMINARY MONKFISH LANDINGS BY MAJOR PORTS AND STATES, MAY-NOVEMBER 1999

		MANAGEMENT AREAS				GEAR TYPES							
PORT/STATE	MAY-NOV 99	NORTHERN AREA		SOUTHERN AREA		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	2,819	2,786	99%	33	1%	2,653	94%	140	5%	0	0%	25	1%
GLOUCESTER,MA	2,195	2,186	100%	9	0%	1,329	61%	861	39%	0	0%	6	0%
BOSTON,MA	1,227	857	70%	370	30%	1,222	100%	0	0%	0	0%	5	0%
NEW BEDFORD,MA	9,695	3,002	31%	6,693	69%	6,621	68%	133	1%	0	0%	2,941	30%
PT JUDITH, RI	2,764	153	6%	2,611	94%	2,062	75%	692	25%	0	0%	11	0%
MAINE	4,173	4,122	99%	51	1%	3,752	90%	389	9%	0	0%	31	1%
NEW HAMPSHIRE	1,194	1,141	96%	54	4%	46	4%	1,131	95%	0	0%	18	2%
MASSACHUSETTS	14,443	6,573	46%	7,870	54%	9,349	65%	2,106	15%	1	0%	2,987	21%
RHODE ISLAND	5,082	647	13%	4,435	87%	3,194	63%	1,845	36%	0	0%	43	1%
CONNECTICUT	350	6	2%	344	98%	140	40%	76	22%	0	0%	135	38%
NEW YORK	918	7	1%	912	99%	195	21%	722	79%	0	0%	2	0%
NEW JERSEY	3,425	4	0%	3,421	100%	97	3%	2,969	87%	0	0%	359	10%
OTHER NORTHEAST	2,100	42	2%	2,058	98%	62	3%	1,611	77%	0	0%	427	20%
TOTAL	31,686	12,541	40%	19,145	60%	16,836	53%	10,848	34%	1	0%	4,001	13%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Management Areas:
Northern Area: 464-465, 511-515, 521-522, 561-562.
Southern Area: 525-526, 537-539, 533-534, 541-543, 611-639.

2. State landings for Connecticut are estimated for the May - November 1999 period.
3. Landings in live weight.
4. Gear Data are based on vessel trip reports.

CONSOLIDATION = B

TABLE 11.A - PRELIMINARY SEA SCALLOP LANDINGS BY STOCK AREA

	SEP- 1999		OCT- 1999		NOV- 1999		MAR 99-NOV 99		FISHING YEAR*
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS
GULF OF MAINE	30	3%	36	2%	42	3%	168	1%	
OTTER TRAWL	0	0%	0	0%	1	0%	11	0%	
DREDGE	30	3%	36	2%	29	2%	144	1%	
OTHER GEAR	0	0%	0	0%	13	1%	13	0%	
SOUTH CHANNEL	225	22%	448	21%	220	16%	3,127	16%	
OTTER TRAWL	1	0%	0	0%	0	0%	3	0%	
DREDGE	225	22%	448	21%	220	16%	3,123	16%	
OTHER GEAR	0	0%	0	0%	0	0%	0	0%	
GEORGES BANK NORTH	371	37%	1,212	57%	659	47%	5,736	30%	
OTTER TRAWL	0	0%	13	1%	0	0%	38	0%	
DREDGE	318	31%	1,148	54%	659	47%	5,503	28%	
OTHER GEAR	53	5%	52	2%	0	0%	195	1%	
GEORGES BANK SOUTH	32	3%	45	2%	66	5%	929	5%	
OTTER TRAWL	0	0%	1	0%	0	0%	2	0%	
DREDGE	32	3%	45	2%	66	5%	897	5%	
OTHER GEAR	0	0%	0	0%	0	0%	30	0%	
SOUTHERN NEW ENGLAND	6	1%	28	1%	13	1%	204	1%	
OTTER TRAWL	0	0%	11	1%	13	1%	137	1%	
DREDGE	6	1%	17	1%	0	0%	67	0%	
OTHER GEAR	0	0%	0	0%	0	0%	0	0%	
NEW YORK BIGHT	178	18%	149	7%	134	10%	3,739	19%	
OTTER TRAWL	2	0%	2	0%	2	0%	46	0%	
DREDGE	168	17%	148	7%	125	9%	3,678	19%	
OTHER GEAR	9	1%	0	0%	7	1%	16	0%	
DELMARVA	166	16%	214	10%	267	19%	5,259	27%	
OTTER TRAWL	76	8%	131	6%	189	13%	1,640	8%	
DREDGE	81	8%	65	3%	61	4%	3,324	17%	
OTHER GEAR	9	1%	17	1%	17	1%	295	2%	
VIRGINIA/NORTH CAROLINA	4	0%	0	0%	0	0%	216	1%	
OTTER TRAWL	0	0%	0	0%	0	0%	0	0%	
DREDGE	4	0%	0	0%	0	0%	216	1%	
OTHER GEAR	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	1,013	100%	2,134	100%	1,402	100%	19,377	100%	
OTTER TRAWL	79	8%	158	7%	206	15%	1,876	10%	
DREDGE	864	85%	1,906	89%	1,159	83%	16,952	87%	
OTHER GEAR	70	7%	69	3%	37	3%	549	3%	
LANDINGS - ALL AREAS									
FISHING YEAR 1999/2000	1,013		2,134		1,402		19,377		-
FISHING YEAR 1998/1999	691		705		811		10,160		12,229
FISHING YEAR 1997/1998	959		649		716		11,720		13,892
FISHING YEAR 1996/1997	936		989		1,261		15,481		17,656

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Sea Scallop Stock Areas:
Gulf of Maine: 511-515.
South Channel: 521, 522, 526.
Georges Bank North: 561, 562.
Georges Bank South: 525.
Southern New England: 537-539.
New York Bight: 611-616.
Delmarva: 621-623, 625-627.
Virginia/North Carolina: 631-638.

2. Landings in meat weight.

3. State landings for Connecticut are estimated for the January - November 1999 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is March 1 through February 28.

TABLE 11.B - PRELIMINARY SEA SCALLOP LANDINGS BY MAJOR PORTS AND STATES, MARCH - NOVEMBER 1999

PORT/STATE	MAR - NOV 99 1000 LBS	STOCK AREAS															
		GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		SOUTHERN NEW ENGLAND		NEW YORK BIGHT		DELMARVA		VIRGINIA & NORTH CAROLINA	
		1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
NEW BEDFORD,MA	10,759	103	1%	3,003	28%	4,891	45%	856	8%	157	1%	1,544	14%	183	2%	23	0%
CAPE MAY, NJ	1,799	0	0%	0	0%	99	6%	11	1%	0	0%	435	24%	1,250	69%	4	0%
NORFOLK, VA	5,144	0	0%	0	0%	188	4%	0	0%	1	0%	1,024	20%	3,743	73%	188	4%
MAINE	94	39	42%	26	28%	13	14%	0	0%	0	0%	15	16%	0	0%	0	0%
NEW HAMPSHIRE	16	2	11%	14	87%	0	3%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	10,857	127	1%	3,022	28%	4,938	45%	860	8%	157	1%	1,546	14%	183	2%	23	0%
RHODE ISLAND	123	0	0%	1	1%	60	49%	0	0%	22	18%	27	22%	13	10%	0	0%
CONNECTICUT	596	0	0%	52	9%	201	34%	47	8%	22	4%	275	46%	0	0%	0	0%
NEW JERSEY	2,517	0	0%	11	0%	336	13%	21	1%	1	0%	837	33%	1,306	52%	4	0%
VIRGINIA	5,148	0	0%	0	0%	188	4%	0	0%	1	0%	1,024	20%	3,747	73%	188	4%
OTHER NORTHEAST*	26	0	0%	0	0%	0	0%	0	0%	1	4%	15	58%	10	38%	0	0%
TOTAL	19,377	168	1%	3,127	16%	5,736	30%	929	5%	204	1%	3,739	19%	5,259	27%	216	1%

PORT/STATE	MAR - NOV 99 1000 LBS	GEAR					
		OTTER TRAWL		DREDGE		OTHER GEARS	
		1000 LBS	%	1000 LBS	%	1000 LBS	%
NEW BEDFORD,MA	10,759	145	1%	10,389	97%	226	2%
CAPE MAY, NJ	1,799	607	34%	1,034	57%	159	9%
NORFOLK, VA	5,144	1,053	20%	3,944	77%	148	3%
MAINE	94	9	9%	85	90%	0	0%
NEW HAMPSHIRE	16	1	8%	15	92%	0	0%
MASSACHUSETTS	10,857	145	1%	10,485	97%	226	2%
RHODE ISLAND	123	22	18%	85	69%	15	12%
CONNECTICUT	596	16	3%	580	97%	0	0%
NEW JERSEY	2,517	607	24%	1,751	70%	159	6%
VIRGINIA	5,148	1,056	21%	3,944	77%	148	3%
OTHER NORTHEAST*	26	19	72%	7	27%	0	1%
TOTAL	19,377	1,876	10%	16,952	87%	549	3%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511- 515.
South Channel: 521, 522, 526.
Georges Bank North: 561, 562.
Georges Bank South: 525.
Southern New England: 537-539.
New York Bight: 611-616
Delmarva: 621-623, 625-627.
Virginia/North Carolina: 631-638.

2. State landings for Connecticut are estimated for March - November 1999.

3. Landings in meat weight.

4. Gear data are based on vessel trip reports.

*Includes North Carolina